

HONDURAS

Cutaneous and mucosal Leishmaniasis 2017

Incidence (100,000 pop.) **29.65**


Transmission
Triennium Leishmaniasis Composite Indicator (TLCIc 2015-2017) **Moderate**

Occurrence

1854
NEW CASES

1833 cutaneous (98.9%)

21 mucosal (1.1%)



LCIc triennium (2015-2017)



AGE GROUP

11.3% < 5 Y/O
13.9% ≥ 5 < 10 Y/O
74.8% > 10 Y/O

25.24% children under 10 years old



GENDER

64.5% Male
35.5% Female

50.3% men over 10 years old



CROSS-BORDER

Shares borders with 3 countries in 12 municipalities

13.75% of the cases at the borders



SURVEILLANCE AND CONTROL

69.3% of the population in transmission areas

Increase of the % of CL in children under 10 Y/O compared to the 2012-2015 baseline (Targets of the Plan of Action)



LEISHMANIA SPECIES

L. braziliensis
L. panamensis
L. infantum



LUTZOMYIA VECTORS

L. trapidoi
L. panamensis
L. ylephiletor
L. ovallesi
L. longipalpis



PATIENT ASSISTANCE

Laboratory confirmation: **100%**
Cure rate: **100%**
% of cured patients among the treated: **N/I**



AVAILABLE MEDICINE

No information available

Source:

SisLeish - PAHO/WHO - Data provided by the Ministries of Health - National Leishmaniasis Programs
Accessed on: 01 November 2018.
N/O: No information available; Y/O: years old