

MEXICO

Leishmaniasis cutaneous and mucosal 2016

Incidence
(100,000 pop.) **5.97**

Transmission
Leishmaniasis
Composite Indicator
(LCIc) **Low**

Occurrence


447

NEW CASES

447 cutaneous (99.3%)

03 mucosal (0.7%)

LCIc



AGE GROUP

1.4% < 5 Y/O
3.1% ≥ 5 < 10 Y/O
95.5% > 10 Y/O

4.5% of children
under 10 years old



GENDER

81.7% Male
18.3% Female

79% of men over
10 years old



CROSS-BORDER

Shares borders with
3 countries in **20**
municipalities

24.8% of the cases
at the borders



SURVEILLANCE AND CONTROL

6.13% of the population
in transmission areas

PEED Participant
(Regional External
Performance Assessment
Program of Microscopic
Diagnosis)



LEISHMANIA SPECIES

L. braziliensis
L. mexicana



LUTZOMYIA VECTORS

L. ovallesi
L. olmeca olmeca
L. panamensis
L. ylephiletor
L. diabolica
L. deleoni
L. cruciata
L. shannoni



PATIENT ASSISTANCE

Laboratory confirmation:
81.9% (**20**
laboratories providing
diagnosis)

Cure rate: **64%** (**4672**
health care units
providing treatment)



AVAILABLE MEDICINE

Meglumine
antimoniate