

PERU

Leishmaniasis cutaneous and mucosal 2016

Incidence
(100,000 pop.) **28.60**

Transmission
Leishmaniasis
Composite Indicator
(LCIc) **High**


Occurrence

7271

NEW CASES

6724 cutaneous (92.5%)

547 mucosal (7.5%)



LCIc



AGE GROUP

8.1% < 5 Y/O
10.5% ≥ 5 < 10 Y/O
81.4% > 10 Y/O

18.6% of children
under 10 years old



GENDER

64.5% Male
35.5% Female

54.8% of men
over 10 years old



CROSS-BORDER

Shares borders with
5 countries in **17**
provinces

24.8% of the cases
at the borders



SURVEILLANCE AND CONTROL

80.8% of the population
in transmission areas

PEED Participant
(Regional External
Performance Assessment
Program of Microscopic
Diagnosis)



LEISHMANIA SPECIES

L. amazonensis
L. braziliensis
L. peruviana
L. lainsoni
L. guyanensis



LUTZOMYIA VECTORS

L. flaviscutellata
L. yulli yulli
L. tejadai
L. pescei
L. ayacuchensis
L. peruensis
L. verrucarum
L. ubiquitalis



PATIENT ASSISTANCE

Laboratory confirmation:
99.6% (N/I
laboratories providing
diagnosis)

Cure rate: **N/I** (N/I
health care units providing
treatment)



AVAILABLE MEDICINE

Sodium
Stibogluconate