


VENEZUELA

Cutaneous and mucosal Leishmaniasis 2017

Incidence
(100,000 pop.) **11.26**

Transmission
Triennium Leishmaniasis
Composite Indicator
(TLCIc 2015-2017) **Moderate**



LCIc triennium (2015-2017)



Occurrence

2326
NEW CASES

2313 cutaneous (99.4%)
13 mucosal (0.6%)



AGE GROUP

6.4% < 5 Y/O
6.9% ≥ 5 < 10 Y/O
86.7% > 10 Y/O

13.3% children
under 10 years old



GENDER

62.1% Male
37.7% Female
0.2% Unspecified

55% men over 10
years old



CROSS-BORDER

Shares borders with
3 countries in **23**
municipalities

9.24% of the cases
at the borders



SURVEILLANCE AND CONTROL

65.7% of the population
in transmission areas

Increase of the % of CL
in children under 10 Y/O
compared to the 2012-
2015 baseline (Targets of
the Plan of Action)



LEISHMANIA SPECIES

L. amazonensis
L. pifanoi
L. venezuelensis
L. braziliensis
L. colombiensis
L. guyanensis
L. infantum



LUTZOMYIA VECTORS

L. flaviscutellata,
L. reducta, *L. olmeca*
bicolor, *L. rangeliana*,
L. ovallesi, *L. spinicrassa*,
L. gomezi, *L. panamensis*,
L. trinidanensis,
L. longipalpis, *L. evansi*,
L. pseudolongipalpis



PATIENT ASSISTANCE

Laboratory confirmation:
77.8%

Cure rate: **99.8%**

% of cured patients among
the treated: **N/I**



AVAILABLE MEDICINE

Meglumine
Antimoniate

Source:

SisLeish - PAHO/WHO - Data provided by the Ministries of Health -
National Leishmaniasis Programs
Accessed on: 01 November 2018.

N/O: No information available; Y/O: years old